



INSPECTION REPORT

1674 cust\_id  
122265 insp\_id  
17320 site\_id

ALAIN ZERBINI CIRCUS PRODUCTION

3327 51ST ST.  
SARASOTA, FL 34235

Customer ID: 1874

Certificate: 58-C-0012

Site: 002

Inspection  
Type: ROUTINE INSPECTION  
Date: MAR-04-2003

All redactions on this page are pursuant to (b)(6) & (b)(7)(c).

2.40 ( b ) ( 3 )

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

(3) Daily observation of all animals to assess their health and well-being; Provided, however, That daily observation of animals may be accomplished by someone other than the attending veterinarian; and Provided, further, That a mechanism of direct and frequent communication is required so that timely and accurate information on problems of animal health, behavior, and well-being is conveyed to the attending veterinarian

There were several animals which need to be evaluated by the attending veterinarian.

"Camelot" the male white tiger was lying on his side throughout the inspection. Efforts by the owner to get him up were unsuccessful. All four paw pads had obvious sores. This animal exhibited a great reluctance to put any weight on his feet. The haircoat of this animal was rough. This tiger was seen by the attending veterinarian on 02-11-03 but needs to be re-evaluated. Excess water/urine which does not drain off may be contributing to the problems seen for this animal.

"Hobbs" the male tiger was observed salivating and licking excessively. This animal needs to be seen by the attending veterinarian.

"Zorro" the young black leopard cub had a open sore on his upper lip and his left eye had a noticeable discharge. This animal needs to be seen by the attending veterinarian.

One of the male lions was extremely wobbly and unsteady in his gait. This animal needs to be seen by the attending veterinarian.

"Rhama" the tiger has an open sore on the right front elbow. This was a claw injury by another tiger according to [REDACTED]. This area needs to be treated as directed by the attending veterinarian. This animal was also seen drooling but to a lesser extent than "Hobbs." The attending veterinarian needs to see this animal.

Correct by" 03-06-03 end of business day.

3.125 ( a )

FACILITIES, GENERAL.

(a) Structural strength. The facility must be constructed of such material and of such strength as appropriate for the animals involved. The indoor and outdoor housing facilities shall be structurally sound and shall be maintained in good repair to

Prepared By: Megan Adams, A. C. I., USDA, APHIS, Animal Care

Title: ANIMAL CARE INSPECTOR, Inspector ID: 1027

Received By: [REDACTED]

Title: [REDACTED]

Date:  
MAR-04-2003

Date:  
MAR-04-2003



INSPECTION REPORT

MAR 20 2003

MADAMS  
1874 cust\_id  
122265 insp\_id  
17320 site\_id

protect the animals from injury and to contain the animals

The wood resting surfaces in the first two enclosures closest to the house were clawed/chewed excessively. Splinters and bolts were exposed. These need to be replaced. The plywood ramp up into the transport cages from the outside ring was splintered and needs to be replaced.

Correct by: 04-04-03.

Inventory: Tigers-16 Lions-2 Jaguars-2 Leopards-2.

End of report.

Prepared By:

  
MEGAN ADAMS, A. C. I., USDA, APHIS, Animal Care

Title: ANIMAL CARE INSPECTOR, Inspector ID: 1027

Received By: (b)(6), (b)(7)c

Title:

Date:

MAR-04-2003

Date:

MAR-04-2003